

From: Amy Pollard <apollard@ashevillenc.gov>
Sent: 10/8/2018 11:27:10 AM
To: Kirk Boone <kirk@kcbconstruction.com>
Cc:
Subject: Re: 90 Charlotte St

Kirk, I apologize for not getting a hold of you sooner. I checked the Compliance Engine today and the violations have not been cleared out. If all violations have been corrected, the fire sprinkler company must go in and mark those deficiencies as corrected. To see what the deficiencies were, please contact your service company for the report. Thanks

On Mon, Sep 10, 2018 at 10:40 AM Amy Pollard <apollard@ashevillenc.gov> wrote:
Yes, I will check.

On Mon, Sep 10, 2018 at 10:28 AM Kirk Boone <kirk@kcbconstruction.com> wrote:
Amy,

Can you please tell me what they are showing as deficient?
I know they got all but the tamper switch done, and they suggested the tamper switch was ok, but needed alarm company to verify.
I will follow up with them today.

Kirk

Kirk C. Boone
KCB Construction & Development
825-C Merimon Ave, Box 355
Asheville, NC 28804
Cell: 828-231-3680

On Mon, Sep 10, 2018 at 10:24 AM, Amy Pollard <apollard@ashevillenc.gov> wrote:
Kirk, I checked The Compliance Engine. The fire sprinkler is still showing deficiencies. I know you are in contact with the sprinkler company. Please get back to me about the progress. Thanks

--

Amy J Pollard
Assistant Fire Marshal
Asheville Fire Department
(o) (828) 259-5497
(c) (828) 552-1169
apollard@ashevillenc.gov

--

Amy J Pollard

Assistant Fire Marshal
Asheville Fire Department
(o) (828) 259-5497
(c) (828) 552-1169
apollard@ashevillenc.gov

--

Amy J Pollard
Assistant Fire Marshal
Asheville Fire Department
(o) (828) 259-5497
(c) (828) 552-1169
apollard@ashevillenc.gov